



शारीरिक ऊर्जा में जो लाये निखार,
स्वच्छ आटा ही एक आधार।



FULLY STONELESS
ATTA PLANT

“It is not the foundation... That matters...
But the *ideology of that foundation*”

AATOMIZE is not just a company but an organisation. Aatomize had providing his excellency since 1995. Manufacturing the machine related our daily use grains and masala like Pulverizer, Flour Mill, Masala Machine, Dal Machine, Grading Machine, Packing Machine, Atta Grader Machine and so on with futuristic vision. Which provide the impact Individual with growing the customer.

The great work organization working on Micro Level Departments efforts, quality, dedication and system with Ideology after synchronizing these whole things together we can create successful product (machine) by a company (**AATOMIZE MFG. PVT. LTD.**). Its impact on customer, dealer and distribution ship create our Loyal Network Satisfaction.

A small company which consisted of only 4 to 5 workers is now having over 200+ employees under itself.

“The ultimate aim/goal/motto of **AATOMIZE** is to
NEVER COMPROMISE”

Never compromise on...

- Customer's requirements
- Easy Maintenance
- Safety and security of customers
- Classy finishing
- Highest Quality products
- Modern technology's usage and adaptation



“It's not the number of people That matters...
But the quality of
Unity in that amount of people...
Is what matters”

2 IN 1 PULVERIZER



MICRO GRINDING 2 IN 1 PULVERIZER



PATENT NO. : 349060
DESIGN NO. : 327657-001

MICRO GRINDING	1 HP	2 HP	3 HP
MODEL NO.	AZ101	AZ201	AZ301
GRINDING CAPACITY PER HRS	10 TO 12 KG	15 TO 17 KG	20 TO 25 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	220	220	220
CURRENT (A)	6	10	15
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	0.746KWH	1.50KWH	2.30KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER
MACHINE DIMENSION INCH	L-24" W-13", H-32"	L-26" W-14", H-35"	L-31", W-15", H-41"
CHAMBER DIMENSION INCH	6" Dia x 4" Depth	10" Dia x 5" Depth	10" Dia x 6.5" Depth
PRICE			

CRETA POWER 2 IN 1 PULVERIZER



PATENT NO. : 349060
DESIGN NO. : 327657-001

CRETA POWER	1 HP	2 HP	3 HP
MODEL NO.	AZ102	AZ202	AZ302
GRINDING CAPACITY PER HRS	12 TO 15 KG	15 TO 25 KG	25 TO 40 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	220	220	220
CURRENT (A)	6	10	15
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	0.746KWH	1.50KWH	2.30KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-27", W-13", H-34"	L-31", W-17", H-38"	L-33", W-17", H-43"
FRONT CHAMBER DIMENSION INCH	8" Dia x 4" Depth	10" Dia x 5" Depth	10" Dia x 6.5" Depth
BACK CHAMBER DIMENSION INCH	5" Dia x 2" Depth	6" Dia x 4" Depth	6" Dia x 4" Depth
PRICE			

2 IN 1 PULVERIZER



CRETA POWER 2 IN 1 PULVERIZER

DOUBLE CHAMBER



PATENT NO. : 349060
DESIGN NO. : 327657-001

CRETA POWER	3 HP	5 HP
MODEL NO.	AZ303	AZ502
GRINDING CAPACITY PER HRS	25 TO 40 KG	40 TO 60 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415
CURRENT (A)	4.5	7.5
CORROSION RESISTANCE	YES	YES
POWER CONSUMPTION	2.30KWH	3.75KWH
MOTOR SPEED	2880	2880
FREQUENCY (HZ)	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-33", W-17", H-43"	L-37", W-17", H-43"
FRONT CHAMBER DIMENSION INCH	10" Dia x 6.5" Depth	12" Dia x 6.5" Depth
BACK CHAMBER DIMENSION INCH	6" Dia x 4" Depth	6.5" Dia x 4" Depth
PRICE		

CRETA POWER 2 IN 1 PULVERIZER WITH CYCLONE

DOUBLE CHAMBER



PATENT NO. : 349060
DESIGN NO. : 327657-001

CRETA POWER	5 HP
MODEL NO.	AZC502
GRINDING CAPACITY PER HRS	40 TO 60 KG
AUTOMATION GRADE	SEMI AUTOMATIC
MATERIAL	MS BODY
POWER SOURCE	ELECTRIC
VOLTAGE (V)	415
CURRENT (A)	7.5
CORROSION RESISTANCE	YES
POWER CONSUMPTION	5.00KWH
MOTOR SPEED	2880
FREQUENCY (HZ)	50
MOTOR TYPE	THREE PHASE
COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-37", W-17", H-43"
FRONT CHAMBER DIMENSION INCH	12" Dia x 6.5" Depth
BACK CHAMBER DIMENSION INCH	6.5" Dia x 4" Depth
CYCLONE MOTOR	0.5 hp & 0.5 hp
CYCLONE DIMENSION INCH	L-22", W-22", H-78"
PRICE	

2 IN 1 PULVERIZER



HEAVY DUTY 2 IN 1 PULVERIZER WITH CYCLONE

DOUBLE CHAMBER



PATENT NO. : 349060
DESIGN NO. : 327657-001

HEAVY DUTY	7.5 HP	10 HP	15 HP
MODEL NO.	AZC751	AZC1001	AZC1501
GRINDING CAPACITY PER HRS	60 TO 100 KG	70 TO 120 KG	120 TO 160 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	10.5	16.5	22
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	6.80KWH	9.00KWH	14.00KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER WITH PEDITON	DOUBLE CHAMBER WITH PEDITON	DOUBLE CHAMBER WITH PEDITON
MACHINE DIMENSION INCH	L-49", W-22", H-60"	L-64", W-23", H-51"	L-65", W-25", H-53"
FRONT CHAMBER DIMENSION INCH	14" Dia x 8.5" Dep.	14" Dia x 8.5" Dep.	16" Dia x 10.5" Dep.
BACK CHAMBER DIMENSION INCH	10" Dia x 4" Dep.	10" Dia x 4" Dep.	10" Dia x 4" Dep.
CYCLONE MOTOR	0.5 hp & 1 hp	0.5 hp & 1 hp	0.5 hp & 2 hp
CYCLONE DIMENSION INCH	L-22", W-22", H-83"	L-22", W-22", H-83"	L-22", W-22", H-83"
PRICE			

HEAVY DUTY 2 IN 1 PULVERIZER WITH CYCLONE

DOUBLE CHAMBER



PATENT NO. : 349060
DESIGN NO. : 327657-001

HEAVY DUTY	20 HP	30 HP	50 HP
MODEL NO.	AZC2001	AZC3001	AZC5001
GRINDING CAPACITY PER HRS	150 TO 200 KG	250 TO 300 KG	400 TO 450 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	28.5	43	75
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	17.00KWH	28.5KWH	47.00KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER WITH PEDITON	DOUBLE CHAMBER WITH PEDITON	DOUBLE CHAMBER WITH PEDITON
MACHINE DIMENSION INCH	L-70", W-27", H-53"	L-72", W-30", H-55"	L-82", W-32", H-56"
FRONT CHAMBER DIMENSION INCH	16" Dia x 11.0" Dep.	17.6" Dia x 11.0" Dep.	19.6" Dia x 12.5" Dep.
BACK CHAMBER DIMENSION INCH	10" Dia x 4.5" Dep.	11.6" Dia x 4.5" Dep.	12.6" Dia x 5.0" Dep.
CYCLONE MOTOR	0.5 hp & 2 hp	0.5 hp & 2 hp	1 hp & 3 hp
CYCLONE DIMENSION INCH	L-22", W-22", H-83"	L-28", W-28", H-100.0"	L-28", W-28", H-100.0"
PRICE			



WHEAT GRADING MACHINE

4" X 3"

Model No. : WG431

Motor Capacity : 1HP Single Phase

Capacity : 350 to 400 kg/hrs Powder Filter

No Labour Require to Operate This Machine

Users can clean and sort (width, thickness, length)
any type of grain Like wheat, millet, sorghum & every kind of grain.



PRICE :

MASALA GRADER



Suitable For

Coriander Powder, Cumin Powder,
Turmeric Powder

No Labour Require to Operate This Machine

PRICE :

PACKING MACHINE



Model No.	PM820
Machine Structure	MS Powder Coating
Machine Size (inch)	41" x 22" x 38"
Sealing Size	12mm
Max. Adjustment Height	22"
Min. Adjustment Height	8"
Voltage (V/Hz)	AC 220/50 110/60

PRICE :



WITHOUT CYCLONE 3HP, 5HP



MASALA MACHINE	3 HP	5 HP
MODEL NO.	AM302	AM502
GRINDING CAPACITY PER HRS	30 TO 35 KG	50 TO 60 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415
CURRENT (A)	4.5	8
CORROSION RESISTANCE	YES	YES
POWER CONSUMPTION	2.30KWH	3.75KWH
MOTOR RPM	1440	1440
BITTER (CUTTER) RPM	3840	3840
FREQUENCY (HZ)	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
FRONT CHAMBER DIMENSION INCH	10" Dia x 5" Depth	10" Dia x 6.5" Depth
BACK CHAMBER DIMENSION INCH	7" Dia x 4" Depth	7" Dia x 4" Depth
MACHINE DIMENSION INCH	L-43", W-17", H-33"	L-46", W-19", H-37"
PRICE :		

WITH CYCLONE 3HP, 5HP, 7.5HP

DOUBLE CHAMBER



MASALA MACHINE WITH CYCLONE	3 HP	5 HP	7.5 HP
MODEL NO.	AMC302	AMC502	AMC752
GRINDING CAPACITY PER HRS	30 TO 35 KG	50 TO 60 KG	70 TO 80 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	4.5	8	11
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	3.40KWH	4.80KWH	6.71KWH
MOTOR RPM	1440	1440	1440
BITTER (CUTTER) RPM	3840	3840	3840
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-43", W-17", H-33"	L-46", W-19", H-37"	L-48", W-22", H-57"
FRONT CHAMBER DIMENSION INCH	10" Dia x 5.00" Depth	10" Dia x 6.5" Depth	12" Dia x 6.5" Depth
BACK CHAMBER DIMENSION INCH	7" Dia x 4" Depth	7" Dia x 4" Depth	8.00" Dia x 4.00" Dep.
CYCLONE DIMENSION INCH	L-22", W-22", H-78"	L-22", W-22", H-78"	L-22", W-22", H-83"
CYCLONE MOTOR	0.5 x 1 HP	0.5 x 1 HP	0.5 x 1 HP
PRICE :			

DAL MILL MACHINE



DAL MILL MACHINE 2HP (AZDM204)



PRICE :

DAL MILL MACHINE	2 HP
MODEL NO.	AZDM204
GRINDING CAPACITY PER HRS.	40 TO 50 KG
AUTOMATION GRADE	SEMI AUTOMATIC
MATERIAL	MS BODY
POWER SOURCE	ELECTRIC
VOLTAGE (V)	220
CURRENT (A)	8
CORROSION RESISTANCE	YES
POWER CONSUMPTION	1.30KWH
MAIN MOTOR RPM (1HP)	1440
BLOWER MOTOR RPM (1HP)	1440
FREQUENCY (HZ)	50
MOTOR TYPE	SINGLE PHASE
COATING	POWDER COATING
JALI NO. (SET)	1, 2, 3, 4
MACHINE DIMENSION INCH	L-48", W-20", H-51"

DAL MILL MACHINE 3HP (AZDM304)



PRICE :

DAL MILL MACHINE	3 HP
MODEL NO.	AZDM304
GRINDING CAPACITY PER HRS.	80 TO 100 KG
AUTOMATION GRADE	SEMI AUTOMATIC
MATERIAL	MS BODY
POWER SOURCE	ELECTRIC
VOLTAGE (V)	220
CURRENT (A)	11
CORROSION RESISTANCE	YES
POWER CONSUMPTION	2.30KWH
MAIN MOTOR RPM (2HP)	1440
BLOWER MOTOR RPM (1HP)	1440
FREQUENCY (HZ)	50
MOTOR TYPE	SINGLE PHASE
COATING	POWDER COATING
JALI NO. (SET)	1, 2, 3, 4
MACHINE DIMENSION INCH	L-59", W-22", H-56"



AATOMIZE - A101

Premium
VALUE SERIES



PLY BOX



WOODEN STRIP



BLUE FLY



GOLDEN BALLS



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 Alu. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 8 Jali

AATOMIZE - J101

Premium
VALUE SERIES



WOOD TEXTURE



LIVE MUSIC



PLY STRIP



CELEBRATION



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- High-Low Voltage System
- M.S. Sharp Cutter
- 6 Alu. Blade Bitter
- Membrane Door & Top
- Air Filter
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - 3D101

Premium
VALUE SERIES



BROWN FLOWER



COPPER WED



HONEYCOMB



BLUE ZIGZAG



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 S.S. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 8 Jali

AATOMIZE - 0101

Premium
VALUE SERIES



GOLDEN FLOW



NATURE LEAF



ROYAL BLUE



WOODEN ART



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 S.S. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 10 Jali

all in
1



AATOMIZE - S101

Luxury
SERIES



3D COLOR BALL



COLOUR STRIP



LITE WOOD



WOODEN SQUARE



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- S.S. Sharp Cutter
- 6 S.S. Blade Bitter
- Membrane Door & Top
- Air Filter
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - T101

Luxury
SERIES



DOLPHIN



GREEN LEAF



PLY BOX



PLANET



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Child Safety Lock
- High-Low Voltage System
- S.S. Sharp Cutter
- 6 Alu. Blade Bitter
- Membrane Door & Top
- Talky
- Air Filter
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - V101

Luxury
SERIES



STONE FLOWER



3D CIRCLE



WOODEN STRIP



MAGIC FLOWER



L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- S.S. Sharp Cutter
- 6 S.S. Blade Bitter
- Vacuum Cleaner
- Air Filter
- Membrane Door & Top
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - A102

Luxury
SERIES



WOODEN STRIP



STONE FLOWER



PLY STRIP



ROYAL SQUARE



L-13" W-22" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 Alu. & 4 S.S. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 10 Jali

DOUBLE CHAMBER



AMAZING FEATURES FOR AATCHAKKI

ISI MARK



SAVER
MOTOR



GLOW
LED LIGHT



PURE SS
CONTAINER



VOLTAGE
CONTROL
SYSTEM



FULLY
AUTOMATIC



PURE SS
BITTER



PURE SS &
PURE VIRGIN
HOPPER



CHILD LOCK



MULTIPLE USAGE




FLOURMILL GRINDING CAPACITY (PER HOURS)

GRAINS	1 HP	A102
WHEAT	6 - 8 KG	8 - 10 KG
BESAN	6 - 8 KG	8 - 10 KG
RICE	6 - 8 KG	8 - 10 KG
BAJARI	6 - 8 KG	8 - 10 KG
JUVAR	6 - 8 KG	8 - 10 KG
MAIZE	5 - 7 KG	7 - 9 KG
RAVA	5 - 7 KG	7 - 9 KG
UDAD	6 - 8 KG	8 - 10 KG



अरे वाह...!!!
मेरी आटाचक्की फुली ओटोमेटिक





AATOMIZE[®]

NEVER COMPROMISE

**2 IN 1
PULVERIZER**



MASALA PULVERIZER



AATOMIZE MANUFACTURING PVT. LTD.

Shapar (Veraval), Rajkot - 360024, Gujarat (India).

For Inquiry : +91 87390 87390

Email : info@aatomize.com

Web : www.aatomize.com



#startupindia

