AATOMIZE®
NEVER COMPROMISE

100% PREMIUM QUALITY

शारीरिक ऊर्जा में जो लाये निखार,
स्वच्छ आटा ही एक आधार।

CE

CERTIFIED ISO 9001:2015 COMPANY



FULLY STONELESS FLOUR PLANT

JAN-2023

It is not the foundation... That matters...
But the *ideology of that foundation*

AATOMIZE is not just a company but an organisation. Aatomize had providing his excellency since 1995. Manufacturing the machine related our daily use grains and masala like Pulverizer, Flour Mill, Masala Machine, Dal Machine, Grading Machine, Packing Machine, Atta Grader Machine and so on with futuristic vision. Which provide the impact Individual with growing the customer.

The great work organization working on Micro Level Departments efforts, quality, dedication and system with Ideology after synchronizing these whole things together we can create successful product (machine) by a company **(AATOMIZE MFG. PVT. LTD.)**. Its impact on customer, dealer and distribution ship create our Loyal Network Satisfaction.

A small company which consisted of only 4 to 5 workers is now having over 200+ employees under itself.

The ultimate aim/goal/motto of **AATOMIZE** is to
NEVER COMPROMISE

Never compromise on...

- Customer's requirements
- Easy Maintenance
- Safety and security of customers
- Classy finishing
- Highest Quality products
- Modern technology's usage and adaptation

It's not the number of people That matters...
But the quality of
Unity in that amount of people...
Is what matters

2 IN 1 PULVERIZER

MICRO GRINDING
2 IN 1 PULVERIZER

PATENT NO. : 349060
DESIGN NO. : 327657-001

MICRO GRINDING	1 HP	2 HP	3 HP
MODEL NO.	AZ101	AZ201	AZ301
GRINDING CAPACITY PER HRS	10 TO 12 KG	15 TO 17 KG	20 TO 25 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	220	220	220
CURRENT (A)	6	10	15
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	0.746KWH	1.50KWH	2.30KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER
MACHINE DIMENSION INCH	L-24" W-13", H-32"	L-27" W-15", H-36"	L-28", W-17", H-38"
CHAMBER DIMENSION INCH	6" Dia x 4" Depth	10" Dia x 5" Depth	10" Dia x 6.5" Depth
PRICE			

CRETA POWER
2 IN 1 PULVERIZER

PATENT NO. : 349060
DESIGN NO. : 327657-001

CRETA POWER	1 HP	2 HP	3 HP
MODEL NO.	AZ102	AZ202	AZ302
GRINDING CAPACITY PER HRS	12 TO 15 KG	15 TO 25 KG	25 TO 40 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	220	220	220
CURRENT (A)	6	10	15
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	0.746KWH	1.50KWH	2.30KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-27", W-14.5", H-36"	L-30", W-18", H-41"	L-32", W-18", H-43"
FRONT CHAMBER DIMENSION INCH	8" Dia x 4" Depth	10" Dia x 5" Depth	10" Dia x 6.5" Depth
PRICE			

2 IN 1 PULVERIZER

CRETA POWER

2 IN 1 PULVERIZER

DOUBLE CHAMBER

PATENT NO. : 349060
DESIGN NO. : 327657-001

CRETA POWER	3 HP	5 HP
MODEL NO.	AZ303	AZ502
GRINDING CAPACITY PER HRS	25 TO 40 KG	40 TO 60 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415
CURRENT (A)	4.5	7.5
CORROSION RESISTANCE	YES	YES
POWER CONSUMPTION	2.30KWH	3.75KWH
MOTOR SPEED	2880	2880
FREQUENCY (HZ)	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-32", W-18", H-43"	L-36", W-20", H-47"
FRONT CHAMBER DIMENSION INCH	10" Dia x 6.5" Depth	12" Dia x 6.5" Depth
PRICE		

CRETA POWER

2 IN 1 PULVERIZER WITH CYCLONE

DOUBLE CHAMBER

PATENT NO. : 349060
DESIGN NO. : 327657-001

CRETA POWER	5 HP
MODEL NO.	AZC502
GRINDING CAPACITY PER HRS	40 TO 60 KG
AUTOMATION GRADE	SEMI AUTOMATIC
MATERIAL	MS BODY
POWER SOURCE	ELECTRIC
VOLTAGE (V)	415
CURRENT (A)	7.5
CORROSION RESISTANCE	YES
POWER CONSUMPTION	5.00KWH
MOTOR SPEED	2880
FREQUENCY (HZ)	50
MOTOR TYPE	THREE PHASE
COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-36", W-20", H-47"
FRONT CHAMBER DIMENSION INCH	12" Dia x 6.5" Depth
CYCLONE MOTOR	0.5 hp & 0.5 hp
CYCLONE DIMENSION INCH	L-22", W-22", H-82"
PRICE	

2 IN 1 PULVERIZER

HEAVY DUTY
2 IN 1 PULVERIZER WITH CYCLONE
DOUBLE CHAMBER

PATENT NO. : 349060
DESIGN NO. : 327657-001

HEAVY DUTY	7.5 HP	10 HP	15 HP
MODEL NO.	AZC751	AZC1001	AZC1501
GRINDING CAPACITY PER HRS	60 TO 100 KG	70 TO 120 KG	120 TO 160 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	10.5	16.5	22
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	6.80KWH	9.00KWH	14.00KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER WITH PEDITION	DOUBLE CHAMBER WITH PEDITION	DOUBLE CHAMBER WITH PEDITION
MACHINE DIMENSION INCH	L-60", W-23", H-55"	L-64", W-23", H-58"	L-69", W-26", H-60"
FRONT CHAMBER DIMENSION INCH	14" Dia x 8.5" Dep.	14" Dia x 8.5" Dep.	16" Dia x 10.5" Dep.
CYCLONE MOTOR	0.5 hp & 1 hp	0.5 hp & 1 hp	0.5 hp & 2 hp
CYCLONE DIMENSION INCH	L-24", W-22", H-89"	L-24", W-22", H-89"	L-24", W-22", H-89"
PRICE			

HEAVY DUTY
2 IN 1 PULVERIZER WITH CYCLONE
DOUBLE CHAMBER

PATENT NO. : 349060
DESIGN NO. : 327657-001

HEAVY DUTY	20 HP	30 HP	50 HP
MODEL NO.	AZC2001	AZC3001	AZC5001
GRINDING CAPACITY PER HRS	150 TO 200 KG	250 TO 300 KG	400 TO 450 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	28.5	43	75
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	17.00KWH	28.5KWH	47.00KWH
MOTOR SPEED	2880	2880	2880
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER WITH PEDITION	DOUBLE CHAMBER WITH PEDITION	DOUBLE CHAMBER WITH PEDITION
MACHINE DIMENSION INCH	L-69", W-26", H-60"	L-76", W-33", H-62"	CUSTOMIZED
FRONT CHAMBER DIMENSION INCH	16" Dia x 11.0" Dep.	17.6" Dia x 11.0 Dep.	19.6" Dia x 12.5" Dep.
CYCLONE MOTOR	0.5 hp & 2 hp	0.5 hp & 2 hp	1 hp & 3 hp
CYCLONE DIMENSION INCH	L-24", W-22", H-89"	L-28", W-27", H-99"	L-28", W-27", H-99"
PRICE			

MASALA PULVERIZER

MASALA PULVERIZER WITHOUT CYCLONE
3HP, 5HP

BACK HAMMER BITTER

1 YEAR

100% PREMIUM QUALITY

* Depends on material & sieve size

MASALA MACHINE	3 HP	3 HP	5 HP
MODEL NO.	AM312	AM302	AM502
GRINDING CAPACITY PER HRS	25 TO 30 KG*	30 TO 35 KG*	50 TO 60 KG*
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	220	415	415
CURRENT (A)	12	4.5	8
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	2.30KWH	2.30KWH	3.75KWH
MOTOR RPM	1440	1440	1440
BITTER (CUTTER) RPM	3840	3840	3840
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-51", W-21", H-44"	L-51", W-21", H-44"	L-55", W-21", H-47"
F CHAMBER DIMENSION INCH	10" Dia x 5" Depth	10" Dia x 5" Depth	10" Dia x 6.5" Depth
PRICE			

MASALA PULVERIZER WITH CYCLONE
3HP, 5HP, 7.5HP

DOUBLE CHAMBER

* Depends on material & sieve size

MASALA MACHINE WITH CYCLONE	3 HP	5 HP	7.5 HP
MODEL NO.	AMC302	AMC502	AMC752
GRINDING CAPACITY PER HRS	30 TO 35 KG*	50 TO 60 KG*	60 TO 80 KG*
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	4.5	8	11
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	3.40KWH	4.80KWH	6.71KWH
MOTOR RPM	1440	1440	1440
BITTER (CUTTER) RPM	3840	3840	3840
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-51", W-21", H-44"	L-55", W-21", H-47"	L-58", W-23", H-49"
FRONT CHAMBER DIMENSION INCH	10" Dia x 5.00" Depth	10" Dia x 6.5" Depth	12" Dia x 6.5" Depth
CYCLONE DIMENSION INCH	L-22", W-22", H-82"	L-24", W-22", H-89"	L-24", W-22", H-89"
CYCLONE MOTOR	0.5 & 1 HP	0.5 & 1 HP	0.5 & 1 HP
PRICE			

MASALA PULVERIZER

MASALA PULVERIZER WITH CYCLONE
10HP & 20HP

DOUBLE CHAMBER

* Depends on material & sieve size

MASALA MACHINE WITH CYCLONE	10 HP	20 HP
MODEL NO.	AMC1002	AMC2002
GRINDING CAPACITY PER HRS	80 TO 100 KG*	150 TO 190 KG*
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415
CURRENT (A)	16.5	31.5
CORROSION RESISTANCE	YES	YES
POWER CONSUMPTION	9.50KWH	18.00KWH
MOTOR RPM	1440	1440
BITTER (CUTTER) RPM	3840	3840
FREQUENCY (HZ)	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION INCH	L-63.5", W-24", H-50.5"	L-70.5", W-24.5", H-55"
FRONT CHAMBER DIMENSION INCH	14" Dia x 8.5" Depth	16" Dia x 10.5" Depth
CYCLONE DIMENSION INCH	L-24", W-22", H-89"	L-24", W-22", H-89"
CYCLONE MOTOR	0.5 & 2 HP	0.5 & 3 HP
PRICE		

DAL MILL MACHINE
2HP (AZDM204)

DAL MILL MACHINE
3HP (AZDM304)

DAL MILL MACHINE	2 HP	3 HP
MODEL NO.	AZDM204	AZDM304
GRINDING CAPACITY PER HRS.	40 TO 50 KG	80 TO 100 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC
VOLTAGE (V)	220	220
CURRENT (A)	8	11
CORROSION RESISTANCE	YES	YES
POWER CONSUMPTION	1.30KWH	2.30KWH
MAIN MOTOR RPM (2HP)	1440	1440
BLOWER MOTOR RPM (1HP)	1440	1440
FREQUENCY (HZ)	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING
JALI NO. (SET)	1, 2, 3, 4	1, 2, 3, 4
MACHINE DIMENSION INCH	L-48", W-20", H-51"	L-59", W-22", H-56"

SUGAR GRINDING MACHINE

SUGAR MACHINE WITH CYCLONE
3HP, 5HP, 10HP

SUGAR GRINDING

SUGAR MACHINE	3HP + 2HP CYCLONE	5HP + 3HP CYCLONE	10HP + 5HP CYCLONE
MODEL NO.	AZSC301	AZSC501	AZSC1001
GRINDING CAPACITY PER HRS	100 TO 200 KG*	300 TO 500 KG*	600 TO 1000 KG*
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	415	415	415
CURRENT (A)	5	8	16.5
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	2.30KWH	3.75KWH	9.50KWH
MOTOR RPM	1440	1440	1440
BITTER (CUTTER) RPM	4320	4320	4320
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER
MACHINE DIMENSION INCH	L-51", W-21", H-44"	L-55", W-21", H-47"	L-60", W-24", H-55"
CHAMBER DIMENSION INCH	10" Dia x 5" Depth	10" Dia x 6.5" Depth	14" Dia x 8.5" Depth
CYCLONE DIMENSION INCH	L-24", W-22", H-89"	L-28", W-27", H-99"	L-40", W-40", H-140"
CYCLONE MOTOR	2 HP	3 HP	5 HP
PRICE			

* Depends on material & sieve size

MASALA MIXING MACHINE

MOTOR CAPACITY : 1.5 HP
MACHINE DIMENSION : L-54" H-40" W-25"
MACHINE WEIGHT : 190 KGS.
CAPACITY : 50 KG

PRICE :

ROSTER MACHINE

MOTOR CAPACITY : 2 HP
MACHINE DIMENSION : L-36" H-37" W-40"
MACHINE WEIGHT : 130 KGS.

PRICE :

VIBRO MACHINE

MOTOR CAPACITY : 1 HP
MOTOR RPM : 1450 RPM
MOTOR TYPE : 3 PHASE
SIEVE DIMENSION : 36" Dia
MESH 40 OR 50 SIEVE
1 SIEVE PROVIDE

PRICE :

GRADING & PACKING MACHINE

WHEAT GRADING MACHINE
4" X 3"

Model No. : WG431

Motor Capacity : 1HP Single Phase

Capacity : 350 to 400 kg/hrs Powder Filter

Machine Dimension : L-72", W-38", H-54"

No Labor Require to Operate This Machine

Users can clean and sort (width, thickness, length) any type of grains Like wheat, millet, sorghum & all kind of grain.

PRICE :

MASALA GRADER - MG05

Suitable For

Coriander Powder, Cumin Powder, Turmeric Powder

No Labor Require to Operate This Machine

PRICE :

PACKING MACHINE

Model No.	PM820
Machine Structure	MS Powder Coating
Machine Size (inch)	41" x 22" x 38"
Sealing Size	12mm
Max. Adjustment Height	22"
Min. Adjustment Height	8"
Voltage (V/Hz)	AC 220/50 110/60

PRICE :

FLOURMILL

Available EMI On

Pine Labs BAJAJ FINSERV

AATOMIZE - A101

Premium VALUE SERIES

TOTAL PARTS 1 YEARS warranty | MOTOR 04 YEARS WARRANTY | 100% PREMIUM QUALITY

PLY BOX	WOODEN STRIP	BLUE FLY	GOLDEN BALLS

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 Alu. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 8 Jali

AATOMIZE - J101

Premium VALUE SERIES

TOTAL PARTS 1 YEARS warranty | MOTOR 04 YEARS WARRANTY | 100% PREMIUM QUALITY

WOOD TEXTURE	LIVE MUSIC	PLY STRIP	CELEBRATION

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- High-Low Voltage System
- M.S. Sharp Cutter
- 6 Alu. Blade Bitter
- Membrane Door & Top
- Air Filter
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - 3D101

Premium VALUE SERIES

TOTAL PARTS 1 YEARS warranty | MOTOR 04 YEARS WARRANTY | 100% PREMIUM QUALITY

BROWN FLOWER	COPPER WED	HONEYCOMB	BLUE ZIGZAG

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 S.S. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 8 Jali

AATOMIZE - O101

Premium VALUE SERIES

TOTAL PARTS 1 YEARS warranty | MOTOR 01 YEARS WARRANTY | 100% PREMIUM QUALITY

GOLDEN FLOW	NATURE LEAF	ROYAL BLUE	WOODEN ART

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 S.S. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 10 Jali

FLOURMILL

Available EMI On

Pine Labs BAJAJ FINSERV

AATOMIZE - S101

Luxury SERIES

1 YEARS TOTAL PARTS warranty | 06 YEARS MOTOR WARRANTY | 100% PREMIUM QUALITY

3D COLOR BALL	COLOUR STRIP	LITE WOOD	WOODEN SQUARE

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- S.S. Sharp Cutter
- 6 S.S. Blade Bitter
- Membrane Door & Top
- Air Filter
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - T101

Luxury SERIES

1 YEARS TOTAL PARTS warranty | 06 YEARS MOTOR WARRANTY | 100% PREMIUM QUALITY

DOLPHIN	GREEN LEAF	PLY BOX	PLANET

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Child Safety Lock
- High-Low Voltage System
- S.S. Sharp Cutter
- 6 Alu. Blade Bitter
- Membrane Door & Top
- Talky
- Air Filter
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - V101

Luxury SERIES

1 YEARS TOTAL PARTS warranty | 06 YEARS MOTOR WARRANTY | 100% PREMIUM QUALITY

STONE FLOWER	3D CIRCLE	WOODEN STRIP	MAGIC FLOWER

L-13" W-19" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- S.S. Sharp Cutter
- 6 S.S. Blade Bitter
- Vacuum Cleaner
- Air Filter
- Membrane Door & Top
- Slider With Cotton Bag
- 10 Jali

AATOMIZE - A102

Luxury SERIES

1 YEARS TOTAL PARTS warranty | 06 YEARS MOTOR WARRANTY | 100% PREMIUM QUALITY

WOODEN STRIP	STONE FLOWER	PLY STRIP	ROYAL SQUARE

L-13" W-22" H-36"

- Power Saver Motor ISI
- Sensor Technology
- S.S. Hopper
- S.S. Container
- Indoor LED Light
- Child Safety Lock
- High-Low Voltage System
- M.S. Sharp Cutter
- 4 Alu. & 4 S.S. Blade Bitter
- Membrane Door & Top
- Slider With Cotton Bag
- 10 Jali

AATOMIZE®

NEVER COMPROMISE

FULLY STONELESS MASALA PLANT

CAPACITY UP TO 2000KG

SPICE GRINDING

AATOMIZE MANUFACTURING PVT. LTD.

Shapar (Veraval), Rajkot - 360024, Gujarat (India).

For Inquiry : +91 87390 87390

Email : info@aatomize.com

Web : www.aatomize.co.in

Download Brochure

Download Android App